









TRANSFORMER BOBBIN
INDUSTRIAL CO.,LTD.

Tel : 86-769-88789999 Fax : 86-769-88789989
http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net

REVISIONS				
REV	SYM	DRAFTER	CHECKER	DATE
△A		T.S.LII	W.H.HSU	12/26/05
△B		T.S.LII	W.H.HSU	01/03/06
△B		T.S.LII	W.H.HSU	07/22/06



DWG NO. EP13-16P-L-1.7-A1-1

PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION
TBI-103-03111.103	PM-9630	PB	Sn	ALL PIN , Ⓐ=15.6±0.2
TBI-103-03111.113	PM-9630	PB	Sn	NO PIN #10,12,13,15 Ⓐ=15.6±0.2
TBI-103-03111.123	PM-9630	PB	Sn	NO PIN #10,12,13,15 Ⓐ=17.6±0.2
TBI-103-03111.133	PM-9630	PB	Sn	NO PIN #10,12,13,15 Ⓐ=16.35±0.2
TBI-103-03111.143	PM-9630	PB	Sn	NO PIN #10 Ⓐ=15.6±0.2
TBI-103-03111.153	PM-9630	PB	Sn	△B NO PIN #10,12,13,15 Ⓐ=17±0.2
TBI-103-03111.163	PM-9630	PB	Sn	NO PIN #4,10,12,13,15, Ⓐ=15.6±0.2
TBI-103-03111.173	PM-9630	PB	Sn	NO PIN #3,4,10,12,13,15, Ⓐ=15.6±0.2
TBI-103-03111.183	PM-9630	PB	Sn	NO PIN #10,12,13,15, Ⓐ=15.6+0/-0.2
TBI-103-03111.193	PM-9630	PB	Sn	NO PIN #3,6,10,12,13,15, Ⓐ=15.6±0.2
TBI-103-03111.1A3	PM-9630	PB	Sn	NO PIN #3,4,5,12,13,14 Ⓐ=15.6±0.2
TBI-103-03111.1B3	PM-9630	PB	Sn	NO PIN #3,4,11,14 Ⓐ=15.6±0.2
TBI-103-03111.1C3	PM-9630	PB	Sn	NO PIN #2.4.5.7.11.12.13.14 Ⓐ=17.0±0.2

TOLERANCE: .X±0.15 .XX±0.10 .XXX±0.05 UNIT : m / m SCALE 3 : 1

Finish: 1. PB wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min.Base nickel 0.625 μm (25 μ inches) min.
2. CP wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min.
3. Coplanarity deviation: 0.10 mm (0.004 inches)max.

REV 16